



Saniclean®

*Simplify Your Life*

COLLECTION  
COLLECTION SHOWER TOILET

## Unique sensations of freshness and well-being

The daily use of a shower toilet offers you unique sensations of freshness and well-being similar to sensations you get after a classic shower.

At the touch of a button the shower arm extends a soft and gentle flow of water to clean you. The desired temperature and pressure can be easily adjusted by a simple touch on the panel control up to 40 °C.

After the shower, the dryer will be activated. The temperature of the drying can be easily adjusted on the remote control up to 60°C.

The tempered seat will offer you a maximum level of comfort, especially if your restroom is located in a cold room of your home.

## Water for a natural cleaning

Water is the most natural means used for our personal hygiene. Water cleaning avoids inflammations and prevents a lot of diseases. Water cleaning stimulates anal area and so ameliorates blood circulation.

Take personal hygiene to a new level in using a shower toilet. Water will gently and thoroughly cleans your anal and vaginal area.



## Environmental friendly

The complete cycle of cleaning needs between 0.5 and 0.7 litre per use depending on the model you choose. Without paper to throw in your toilet, you can adjust your toilet flush on the small position. This will allow you to reduce the global water consumption of your toilet.

In adjusting the toilet flush on the small position (3 litres) you will spare between 3 and 5 litres each time you use the toilet flush.

Daily use of a shower toilet contributes to the environment safety.



## Technology and design

At the touch on the washing button, cleaning for 40 seconds and drying for 2 minutes will be automatically launched. Simply use the remote control to adjust water pressure and to set water, air and seat temperatures as you feel best.

A sensor on the shower toilet seat will detect if there is a user or not. If no user is detected on the shower toilet seat, the shower toilet will automatically turn into the power saving mode in order to avoid energy consumption.

Design of shower toilet has been studied to fit to the main toilet ceramic. The simple design of the shower toilet will suit to innovative, traditional or luxurious bathroom and restroom.

## Reliable products

Built since 1995 Saniclean's shower toilets are reliable and solids.


Components of Saniclean's shower toilets are tested in the factory for 300 000 uses, suggesting an estimated way of life of 10 to 15 years.

Our engineers work continuously on improvement in term of design and performances.

All models are CE and RoHs certified, conform to European quality and standards.



Remote control - Confort Plus model



## Confort, Confort Plus, Premium, a model to fit to your needs

Fixed panel control for public place, remote control for private person, hot continuous water for top users, water overpressure pump for old house,




each model will have a particularity adapted to your need.

Please contact your retailers for further information.

## Easy and fast installation

Due to the special SANICLEAN connection kit, the installation of the shower toilet is very easy. You can install it such as a traditional toilet seat cover.

The special T part will allow you to connect the shower toilet easily to all kind of toilet water tank.

	FUNCTIONS	CONFORT	CONFORT PLUS	PREMIUM
				
Technical data	Weight Round seat (45 x 52 x 14,4 cm) Elongated seat (45 x 50 x 14,4 cm) Water pressure Power Source Norms	4,9 kg Yes Yes 0,7 – 7,5 bars 850 W 220-240 V, 50-60 Hz CE-RoHs	5,1 kg Yes Yes 0,7 – 7,5 bars 850 W 220-240 V, 50-60 Hz CE-RoHs	7,6 kg Yes Yes 0,7 – 7,5 bars 1440 W 220-240 V, 50-60 Hz CE -RoHs
Controls	Sensor Safety panel Fixed control panel Remote control (infra ray)	X - X -	X X - X	X - X -
Seat	Warmth seat and adjustment of the temperature Removing seat and cover lid Antibacterial surfaces Soft open and soft close system	X X X X	X X X X	X X X X
Cleaning	Anal cleaning Woman cleaning Bath function (water + air) Massage function (water) Move function (oscillating shower) Nozzle adjustment Water temperature adjustment Water pressure adjustment Continuous hot water system Automatic cleaning + drying (1 button)	X X - X X X X X - X	X X - X X X X X - X	X X X X X X X X - X
Drying	Drying Drying temperature adjustment	X X	X X	X X
Installation - maintenance	Easy installation of the shower toilet Automatic nozzle cleaning before and after each use Manual nozzle cleaning	X X X	X X X	X X X
Other functions	Power saving mode Power ON/OFF Automatic deodorisation Button to stop deodorisation Save of the last adjustments Water filter Self-diagnosis function Overpressure pump (ameliorate water pressure)	X X X - X X X -	X X X X X X X -	X X X - X X X X



SANICLEAN®  
proposes a new genera-  
tion of hand dryer.

More info on our website